




SPEC MIX BRICKLAYER 500[®]

WALL DRAWING

KEEP GOING. KEEP MOVING. KEEP WORKING.™



The Competition Panel



Details:

- Approximate 26'- 8" wall.
- Modular clay brick, 1/2 running bond pattern.
- One - 8"x 8"x 16" CMU course.
- One - 2"x 8"x 16" solid CMU (Patio block) course will be laid above the 8" CMU course.
- One - brick starter course will be laid above the CMU courses.
- Maximum of 20 voids allowed.
- Plumb points within 1/4" tolerance (4 on each end and 1 in the middle).
- Height tolerance within $\pm 1/4$ " measured across 3 points along the wall.
- Mortar joints cut flush, not struck.
- Joint thickness tolerance: Bed Joints 1/4" – 5/8", Head Joints 1/8" – 3/4".
- Wall must be constructed within two (2) courses of each side for all brick to count.
- Failure to follow the quality standards will result in brick count deductions.
- Competitors will be given a 10 minute period to strike the working side of the wall after the competition.

Note: Competitors must read and sign the "Rules & Regulations" packet before competing.