




COMPETITION PANEL



Details:

- Approximate 26' – 8" wall
- Modular clay brick, 1/2 running bond pattern
- 2 - 8" x 8" x 16" CMU courses and 1 brick starter course (*brick starter course is not included in final count*)
- Maximum of 20 voids allowed
- Plumb (4 points on each end and one in the middle) and height within 0.25"
- Mortar joints cut flush, not struck
- Joint thickness tolerance: Bed 1/4" – 5/8" , Head Joint 1/8" – 3/4"
- Wall must be constructed within two (2) courses of each side for all brick to count. Brick laid higher than 2 partial courses above last complete double wythe course are not counted.
- Brick must be laid within 1/4" of level as measured by a digital level in the in/ft mode
- Failure to follow quality standards will result in brick count deductions
- Competitors will be given a 15 minute period to tool the entire project.
- Mortar joints are to be tooled with a concave jointer and brushed.

Note: Competitors must read and sign the "Rules & Regulations" packet before competing.