


KEEPING THE TRADE STRONG

## WALL DRAWING



- Modular clay brick, 1/2 running bond pattern
- 2 8" x 8" x16" CMU courses and 1 brick starter course (brick starter course is not included in final count)
- Maximum of 20 voids allowed
- Plumb (4 points on each end and one in the middle) and height within 0.25"
- Joint thickness tolerance: Bed 1/4" 5/8", Head Joint 1/8" 3/4"
- Wall must be constructed within two (2) courses of each side for all brick to count
- Brick must be laid within 1/4" of level as measured by a digital level in the in/ft mode
- Failure to follow quality standards will result in brick count deductions
- Competitors will be given a 20 minute period to tool the entire project.
- Mortar joints are to be tooled with a concave jointer and brushed.

Note: Competitors must read and sign the "Rules & Regulations" packet before competing.

